

(MSDS)

ITEM NUMBER: 300- Anti-Static Spray

IDENTITY (As Used On Label and List): Martin Yale Anti-Static Spray

EMERGENCY MEDICAL Telephone# 800-225-5644(24 Hrs) Outside of the U.S.A. Call 260-563-0641

PRODUCT HAZARD RATINGS (NFPA): - Health = 1, Fire = 4, Reactivity = 0, Protective Equipment = \*B

(Rating Legend: - 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

SECTION I

MARTIN YALE INDUSTRIES, INC. TELEPHONE NUMBER FOR INFORMATION : 260-563-0641
251 WEDCOR AVENUE

DATE PRINTED : 8/17/00 NAME OF PREPARER : BRANDON STONE

WABASH
IN 46992

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Table with 6 columns: Chemical Names, Exposure Limits (LD50-Oral Rat), SARA Title III SEC 313, ACGIH TLV/TWA, OSHA PEL, % By Wt. Rows include Ethanol, Polyoxypropylene Methyl diethyl, Ammonium Chloride, and Liquified Petroleum Gas.

Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard.

Components Listed As A Suspected Carcinogen: None

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: NA Vapor Pressure (psig): 105@130F Specific Gravity (H2O=1): <1
Solubility/Water: Negligible Vapor Density (AIR=1): >1 Evaporation Rate (Ether=1): <1
Appearance and Odor: Misty spray / Alcohol odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: This product is considered to be extremely flammable as described in 16CFR 1500.45.

Flammable Limits - % Volume In Air (Propellant): LEL: 1.8 UEL: 9.2

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up.
Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.



